



# Technomed

PRODUCT CATALOGUE

[technomedmedical.com](http://technomedmedical.com)



# Index



## Company Info

**About Technomed**

**05**

---

## Intraoperative Nerve Monitoring

<b>Disposable Stimulation Probes - Neurosign</b>	<b>14</b>
<b>Disposable Stimulation Instruments</b>	<b>16</b>
<b>Disposable Subdermal Needle Electrodes - Neurosign</b>	<b>18</b>
<b>Disposable Subdermal Needle Electrode Kits</b>	<b>19</b>
<b>Procedure Kits</b>	<b>21</b>
<b>Disposable Lantern Laryngeal Electrodes</b>	<b>22</b>
<b>Disposable Adhesive Surface Electrodes</b>	<b>26</b>
<b>Disposable Subdermal Needle Electrodes - Technomed</b>	<b>28</b>
<b>Disposable Stimulating Probes - Technomed</b>	<b>35</b>
<b>Disposable Stimulating Clip</b>	<b>37</b>

---

## Clinical Neurophysiology

<b>Disposable EEG Cup Electrodes</b>	<b>40</b>
<b>Disposable EEG Cup+ Electrodes</b>	<b>41</b>
<b>Disposable Extra Small EEG Cup Electrodes</b>	<b>42</b>
<b>Reusable EEG Cup Electrodes</b>	<b>43</b>
<b>Reusable Extra Small EEG Cup Electrodes</b>	<b>44</b>
<b>Reusable Ear Clip Electrodes</b>	<b>45</b>
<b>Disposable Concentric Needle Electrodes</b>	<b>46</b>
<b>Reusable Cables For Concentric Electrodes</b>	<b>46</b>
<b>Disposable Hypodermic Needle Electrodes</b>	<b>47</b>
<b>Disposable Monopolar Needle Electrodes Trocar Point</b>	<b>48</b>
<b>Disposable Monopolar Needle Electrodes Pencil Point</b>	<b>49</b>
<b>Reusable Cables For Detachable Monopolar EMG Needle</b>	<b>49</b>

---

## Product Development

<b>Product Development</b>	<b>51</b>
<b>Private Branding</b>	<b>52</b>

A photograph of a modern, curved brick building with large glass windows. The building features a prominent sign that reads "Technomed" in blue and "medical accessories" in orange. A large tree with green leaves is in the foreground on the right, partially obscuring the building. The sky is clear and blue.

**Technomed**  
medical accessories

# About Technomed.

## **Quality. For What Matters Most.**

**At Technomed, we have been developing medical accessories for over 40 years that aid clinicians, surgeons, and researchers in clinical Neurophysiology and Intraoperative Nerve Monitoring.**

As the dependable and go-to value manufacturer, we supply and ship internationally, with many loyal customers who have used our services for over 40 years. Our team is dedicated to ensuring that we put clinicians' accessory needs first.

### OUR SERVICES:

#### IONM / CNP Products:

- Branded products
- Private labeling
- OEM solutions


#### Product Development Program with in-house:

- Research & Development
- Regulatory Affairs
- Manufacturing
- Logistics
- Sales & Marketing

For four decades, Technomed has excelled in supporting global medical companies with innovative, competitively priced medical accessories for bio-signal monitoring. We specialize in Clinical Neurophysiology and Neuromonitoring, offering both private-label and custom solutions, and welcome inquiries for potential partnerships.



*" We aim to lead the way in healthcare innovation by relentlessly focusing on research, technology, and patient-centric approaches to deliver better, more accessible healthcare solutions."*  
- Ronnie Stolec-Campo



# Our promise.

## Your trusted partner in both neuromonitoring and diagnostics.


Our unwavering commitment to excellence has made us the go-to choice of supplier for customers around the world.

At Technomed, we are dedicated to the pursuit of excellence, driven by a commitment to innovation and quality. With a team of experienced professionals, cutting-edge technology, and a proven track record of success, we offer the expertise needed to develop and deliver reliable, quality and cost effective medical accessory solutions at a tailored personalized approach.

**Our team at Technomed stands as a beacon of reliability, innovation, and patient-centric care, making us the ideal partner for those seeking to shape the future of healthcare.**

## Why choose Technomed


- **Quality & Cost Efficiency:** *Technomed offers top-notch, cost-effective medical products, ensuring both excellence and affordability in healthcare solutions.*
- **Manufacturing Partnership:** *Partner directly with experienced manufacturers and dependable logistics, guaranteeing a streamlined and efficient collaboration.*
- **Innovative Customization:** *Our dedicated R&D team provides effective OEM/private labelling opportunities and innovative tailored solutions.*
- **Regulatory Expertise:** *With an in-house Regulatory and Quality team, you can trust in compliant and reliable services, crucial in the international medical industry.*
- **Ease of use:** *Accessories that are compatible with a wide range of equipment.*



*US Sales Team members Mike, Jen and Bas would like to highlight some of our popular products.*

## Popular products.

### **Disposable Stimulating Instruments**



Provides precision and safety in neuromonitoring procedures, by our trusted Neurosign brand.

### **Disposable EEG Cups Electrodes**



Versatile, comfortable, and hygienic EEG recordings with various size and color options.



# Partner with us.

**Partner with us today by reaching out for quotes or any other inquiries. Email us and let's embark on a journey towards your success together.**

At Technomed, we understand that every customer is unique, and our dedicated sales team reflects this understanding. With extensive experience, some having been with Technomed for nearly three decades, they bring a wealth of market knowledge to each region they serve.

Their passion for their work is evident in every interaction. They are not just salespeople; they are trusted advisors who eagerly delve into the intricacies of each market. Their commitment to your success means that they go the extra mile to understand your specific challenges and opportunities.



## Intraoperative Nerve Monitoring

### Disposable Stimulating Probes - Neurosign

- Hooked Probes 14
- Concentric Probes 14
- Monopolar Probes 14
- Bipolar Probes 15
- Pedical Screw Probes 15

### Disposable Stimulating Instruments - Neurosign

- 3mm Ring Dissector 16
- Curved Needle 16
- Elevator Needle 16

### Disposable Subdermal Needle Electrodes - Neurosign

- Disposable Twisted Triple Electrodes 18
- Disposable Twisted Pair Electrodes 18
- Disposable Single Electrodes 18

### Disposable Subdermal Needle Electrode Kits - Neurosign 19

### Procedure Kits - Neurosign

- Disposable Twisted Pair Electrodes 21
- Single Needle Electrode 21
- Bipolar Probe 21

### Lantern Laryngeal Electrodes - Neurosign

- Lantern Laryngeal Electrodes 22
- Lantern Laryngeal Electrode Cables 22

## Disposable Adhesive Surface Electrodes - Technomed

- Disposable Adhesive Ground Electrodes 26
- Disposable Adhesive 4-Disk Electrodes 26
- Disposable Adhesive Surface Electrodes, Twisted Pair 27

## Disposable Subdermal Needle Electrodes - Technomed

- Disposable Subdermal Corkscrew Needle Electrodes 28
- Disposable Subdermal Twisted Pair Corkscrew Needle Electrodes 29
- Disposable Subdermal Hooked Needle Electrodes 30
- Disposable Subdermal Curved Needle Electrodes 30
- Disposable Subdermal Needle Electrodes, Single 32
- Disposable Subdermal Needle Electrodes, Twisted Pair 33
- Disposable Subdermal Needle Electrodes, 5 and 6 lead bundles 34
- Disposable Subdermal Needle Electrodes, Parallel Pair 34

## Disposable Stimulating Probes - Technomed

- Disposable Monopolar Stimulating Probes 35
- Disposable Ball Tip Stimulating Probes 35
- Disposable Twisted Bipolar Stimulating Probes 35
- Disposable Concentric Stimulating Probes 35

## Disposable Stimulation Clip 37



 **NEUROSIGN<sup>®</sup>**

# About our brand, Neurosign.

In addition to our private labeling and Technomed labelled products, we also offer Neurosign, our dedicated IONM (Intraoperative Nerve Monitoring) accessory brand.

Neurosign products have been used internationally for over 30+ years by surgical teams making it the leading choice for neuromonitoring accessories. Neurosign IONM accessories can be used on multi-channel nerve monitors thanks to its universal DIN42802 connectors.

Choose from a comprehensive range of:

- Stimulating Instruments
- Stimulating Probes
- Subdermal Needle Electrodes
- Laryngeal Electrodes



**Global service  
excellence**



**No minimum  
orders**




**Cornerstone IONM  
brand**


# Disposable Stimulating Probes




## Hooked Probes

Type	Shaft Length	Hook Length	Distance Between Outer Hooks	Packing	Part Number
Double hooked	37 mm	2.8 mm	3 mm	1	4009-00
Triple hooked	37 mm	2.8 mm	5 mm	1	4003-00
Connector	 DIN 42802				

## Concentric Probes

Type	Shaft Length	Tip Diameter	Tip	Packing	Part Number
Concentric	100 mm	1 mm	Flush tip	1	5887-00
Concentric	100 mm	1 mm	Flush tip	10	3600-00-TE
Connector	 DIN 42802				

## Monopolar Probes

Type	Shaft Length	Tip Diameter	Tip	Packing	Part Number
Monopolar	100 mm	0.75 mm	2 mm exposed tip	1*	5886-00
Monopolar	100 mm	0.75 mm	2 mm exposed tip	10*	3602-00-TE
Tapered Monopolar	70 mm	1.5-0.5 mm	2 mm exposed tip	10*	3605-00-TE
XL Monopolar	200 mm	1.0 mm	1.0 mm exposed tip	1*	4015-00
Connector	 DIN 42802				

\*Ground electrode (1705-00-TE or 5872-00) required for use with nerve monitors



### Bipolar Probes

Type	Shaft Length	Diameter	Tip	Packing	Part Number
Bipolar	100 mm	0.75 mm	2 mm exposed tip	1	5885-00
Bipolar	100 mm	0.75 mm	2 mm exposed tip	10	3601-00-TE
Precision bipolar	70 mm	0.75 mm	1 mm exposed tip	1	5884-00
Precision bipolar	70 mm	0.75 mm	1 mm exposed tip	10	3604-00-TE

Connector  DIN 42802



### Pedicle Screw Probes

Shaft Length	Diameter	Ball tip	Packing	Part Number
100 mm	1.8 mm	3 mm	1*	5873-00
100 mm	1.8 mm	3 mm	10*	3603-00-TE
130 mm	1.9 mm	2.3 mm	1*	5874-00
130 mm	1.9 mm	2.3 mm	10*	4008-00
200 mm	1.8 mm	3 mm	10*	4006-00
255 mm	2.2 mm	2.3 mm	1*	5989-00
200 mm	1.8 mm	3 mm	10*	4056-00

Connector  DIN 42802

\*Ground electrode (1705-00-TE or 5872-00) required for use with nerve monitors




- Contoured handle for more natural grip
- Suitable for use with multi-channel nerve monitors
- Cost-effective intraoperative nerve monitoring solutions
- Every probe has a wire length of 1.9 meters

USA  
Rx ONLY


CE  
0344

# Disposable Stimulating Instruments




Type	Description	Part Number
3mm Ring Dissector	The Ring Dissector can be used to remove a tumor inside tissue	5877-00
Connector	 DIN 42802	



Type	Description	Part Number
Curved Needle	The Curved Needle can be used to reach around tissue or separating nerves from a tumor	5876-00
Connector	 DIN 42802	




Type	Description	Part Number
Elevator	The Elevator is designed to elevate nerves from a tumor	5875-00
Connector	 DIN 42802	



- **Cost-effective intraoperative nerve monitoring**
- **All stimulating instruments are monopolar and require a return needle, which is included in the box**
- **Every stimulating instrument has a wire length of 2.0 meters**

Individually packed, sterile and single use

## Stimulating Dissectors

Box	Part Number
Box of 10	4013-00
Single package	5888-00
Connector	 DIN 42802




- **Enables surgeon to stimulate while dissecting**
- **Reduces the need for a separate stimulating probe**
- **Ideal for thyroid, parathyroid and parotid procedures**
- **Every stimulating instrument has a wire length of 2.0 meters**

Sterile and single use.

USA
Rx ONLY

**CE**  
**0344**





*Innovation in medical devices is not just about driving technology. It's about improving patient care and providing healthcare professionals with the tools to succeed.*

*- Manager R&D*




# Disposable Subdermal Needle Electrodes




Type	Packing	Needle Diameter	Needle Length	Wire Length	Wire Color	Part Number
Disposable Twisted Triple Electrodes	20 sets	0.3 mm	20 mm	1.0 m	● ● ●	1697-00-TE
Disposable Twisted Pair Electrodes	20 pairs	0.3 mm	20 mm	1.0 m	● ●	1699-00-TE
Disposable Single Electrode	20 pieces	0.3 mm	20 mm	1.0 m	●	1705-00-TE
Disposable Single Electrode	20 pieces	0.38 mm	14 mm	1.5 m	○	5872-00

Connector  DIN 42802



USA  
Rx ONLY



# Disposable Subdermal Needle Electrode Sets

Set	Packing	Part Number	Wire Length
2-channel set 14 mm needle	10 sets	4469-00	1.5 meters
2-channel set 14 mm needle	single set	5883-00	1.5 meters
4-channel set 14 mm needle	10 sets	4470-00	1.5 meters
4-channel set 14 mm needle	single set	5882-00	1.5 meters
8-channel set 14 mm needle	5 sets	4472-00	1.5 meters
8-channel set 14 mm needle	single set	5881-00	1.5 meters

Connector  DIN 42802



4469-00 / 5883-00



4470-00 / 5882-00



4472-00 / 5881-00

USA  
Rx ONLY

**CE**  
**0344**



**NEUROSIGN**

HCN Kit 1

REF: NM-KIT 1

**Contents:**

- 1x 3601-00-TE - Disposable Bipolar Probe 2x100mm x 0.73mm electrodes, 1.3m braided wire with DIN42802 connector
- 2x 1699-00-TE - Disposable Twisted Pair Electrodes, 20mm x 0.3mm needle electrode, 1m black/red cable with DIN42802 connector
- 1x 1705-00-TE - Disposable Single Electrode, 20mm x 0.3mm needle electrode, 1m green cable with DIN42802 connector

LOT: 012345

2023-10-01




01000209-07-64  
01000000  
01000000



# Procedure Kits

## HGN Kit 1\* | NM-KIT1

Content	Quantity	Wire Length	Wire Color	Part Number
Disposable Twisted Pair Electrodes 20mm x 0.3mm needle electrodes 1m twisted wires	2	1.0 meter	● ●	1699-00-TE
Single Needle Electrode 20mm x 0.3mm needle electrode 1m wire	1	1.0 meter	●	1705-00-TE
Bipolar Probe 100m shaft length 0.75mm diameter 2mm exposed tip 1mm tip separation	1	1.9 meters	○ ●	3601-00-TE

Connector  DIN 42802

\*Kit is currently only available in the USA.  
To order HGN Kit 1 use part number NM-KIT1

Twisted Pair

Single Needle

Bipolar Probe



# Lantern Laryngeal Electrodes

Description	Packing	Part Number	Connection Cables
Lantern Laryngeal Electrode 8/9 mm	10 pieces	4200-00	4203-NM 4203-00
Lantern Laryngeal Electrode 6/7 mm	10 pieces	4201-00	4203-NM 4203-00

Connector DIN 42802

Note: Sterile, single use, includes connection cables

- **Optimal vocal cord contact for cost-effective recurrent Laryngeal and Vagus Nerve monitoring**
- **Gentle self-regulating pressure to vocal cords**
- **Wrap around electrode for use with any standard or reinforced PVC endotracheal tube\***

\* Endotracheal tube not included

# Lantern Laryngeal Electrode Cables

Description	Packing	Connection Cables	Part Number
Lantern Laryngeal Electrode Cable	1 piece		4203-00
Universal Lantern Laryngeal Electrode Cable	1 piece		4203-NM

Connector DIN 42802

Note: Cable length is 0.9 meters.

Lantern Laryngeal Electrode
Lantern Laryngeal Cables



4203-00




4203-NM

USA
Rx ONLY

**CE**  
**0344**

Preserving  
What matters.





# Discover Technomed Products

Introducing Technomed's innovation in healthcare, our range of Intraoperative Nerve Monitoring and Clinical Neurophysiology accessories. Our cost effective accessories have been meticulously designed and rigorously tested to meet the highest standards set out by neurophysiology teams. With Technomed's commitment to excellence, our range of accessories empower clinicians with real-time data and insights, enabling them to make informed decisions, enhance surgical and treatment outcomes, and prioritize patient safety. Technomed's dedication to advancing healthcare solutions shines through in our innovative accessories.



**Global service  
excellence**



**Private labeling  
available**



**Quality, for  
what matters most**

# Disposable Adhesive Surface Electrodes

## Disposable Adhesive Ground Electrodes

Product Description	Surface	Wire Length	Packing	Part Number
Disposable Ground Electrode	40 x 50 mm	1.0 m	20 pieces	TE/K50431-002
Disposable Ground Electrode	40 x 50 mm	2.0 m	20 pieces	TE/K50431-003

Connector  DIN 42802

1 color: ●

## Disposable Adhesive 4-Disk Electrodes

Product Description	Surface	Wire Length	Packing	Part Number
Disposable 4-Disk Electrodes	20 mm disk	1.0 m	10 sets	TE/K50430-001
Disposable 4-Disk Electrodes	20 mm disk	1.5 m	10 sets	TE/K50430-015
Disposable 4-Disk Electrodes	20 mm disk	2.0 m	10 sets	TE/K50430-002
Disposable 4-Disk Electrodes	20 mm disk	2.5 m	10 sets	TE/K50430-025

Connector  DIN 42802

4 colors: ● ● ● ●



## Specifications

Gel Type	Solid Hydrogel
Not made with natural rubber latex	√
REACH & RoHS (EU) compliant	√
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC
Shelf life for unopened pouches	24 months


- **The electrodes can be used for recording, stimulation and grounding**
- **Soft and flexible gel patch**
- **Clear and reliable signal with optimized electrode patch**

USA
Rx ONLY

CE

## Disposable Adhesive Surface Electrodes, Twisted Pair


Product Description	Surface	Wire Length	Packing	Part Number
Disposable 4-Disk Electrodes	20 mm disk	1.5 m	8 sets	TE/K50433-015
Disposable 4-Disk Electrodes	20 mm disk	2.5 m	8 sets	TE/K50433-025

Connector  DIN 42802

### 4 colors

1 pair: 

1 pair: 



## Specifications


Gel Type	Solid Hydrogel
Not made with natural rubber latex	√
REACH & RoHS (EU) compliant	√
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC
Shelf life for unopened pouches	24 months

- **The electrodes can be used for recording, stimulation and as a ground electrode**
- **Soft and flexible gel patch**
- **Clear and reliable signal with optimized electrode patch**

# Disposable Subdermal Needle Electrodes

## Disposable Subdermal Corkscrew Needle Electrodes

Material	Diameter	Wire Length	Packing	Part Number
Stainless Steel	0.60 mm (23G)	1.2 m	24 pieces, 4 x 6 colors with protection cap	TE/S50715-001-C
Stainless Steel	0.60 mm (23G)	1.5 m	24 pieces, 4 x 6 colors with protection cap	TE/S50715-004-C
Stainless Steel	0.60 mm (23G)	2.0 m	24 pieces, 4 x 6 colors with protection cap	TE/S50715-002-C
Stainless Steel	0.60 mm (23G)	2.5 m	24 pieces, 4 x 6 colors with protection cap	TE/S50715-003-C

Connector  DIN 42802

6 colors:      



**Discover our DSNE portfolio**  
**Please e-mail us at [info@technomedmedical.com](mailto:info@technomedmedical.com)**

## Specifications


Not made with natural rubber latex	✓
REACH & RoHS (EU) compliant	✓
EtO sterilized	✓
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC
Shelf life for unopened pouches	36 months

- **Clear and reliable signal**
- **Corkscrew needles are designed to stay securely in place during application**
- **Smooth penetration**

USA
Rx ONLY

**CE**  
**0344**

### Disposable Subdermal Twisted Pair Corkscrew Needle Electrodes

Material	Diameter	Wire Length	Packing	Part Number
Stainless Steel	0.60 mm (23 G)	1.2 m	12 pairs, 2 x 6 colors with protection cap	TE/S50725-001-C
Stainless Steel	0.60 mm (23 G)	2.0 m	12 pairs, 2 x 6 colors with protection cap	TE/S50725-002-C
Stainless Steel	0.60 mm (23 G)	2.5 m	12 pairs, 2 x 6 colors with protection cap	TE/S50725-003-C
Stainless Steel	0.60 mm (23 G)	1.5 m	12 pairs, 2 x 6 colors with protection cap	TE/S50725-004-C
Connector	 DIN 42802			

6 colors: ● or ○ + ● ● ● ● ● ●



## Specifications

Not made with natural rubber latex	✓
REACH & RoHS (EU) compliant	✓
EtO sterilized	✓
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC
Shelf life for unopened pouches	36 months

- **Clear and reliable signal**
- **Twisted pair models aid in noise reduction**
- **Corkscrew needles are designed to stay securely in place during application**
- **Smooth penetration**





### Disposable Subdermal Hooked Needle Electrodes

Material	Length	Diameter	Wire Length	Packing	Part Number
Stainless Steel	12 mm	0.45 mm (26G)	1.5 m	24 pieces, 4 x 6 colors	TE/S50719-001
Stainless Steel	12 mm	0.45 mm (26G)	2.0 m	24 pieces, 4 x 6 colors	TE/S50719-002
Stainless Steel	12 mm	0.45 mm (26G)	2.5 m	24 pieces, 4 x 6 colors	TE/S50719-003

Connector  DIN 42802

6 colors: 



### Disposable Subdermal Curved Needle Electrodes

Material	Length	Diameter	Wire Length	Packing	Part Number
Stainless Steel	21 mm	0.45 mm (26G)	1.5 m	25 pieces, 5 x 5 colors	TE/S45-638
Stainless Steel	21 mm	0.45 mm (26G)	2.0 m	25 pieces, 5 x 5 colors	TE/S45-838

Connector  DIN 42802

5 colors: 



## Specifications

Not made with natural rubber latex	✓
REACH & RoHS (EU) compliant	✓
EtO sterilized	✓
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC
Shelf life for unopened pouches	36 months

- **Clear and reliable signal**
- **Hooked Needles are designed to stay securely in place during application**
- **Smooth penetration**

USA  
Rx ONLY

**CE**  
**0344**

**Technomed**  
medical accessories




 **Technomed Europe**  
Amerikalaan 71  
6193 AZ  
Maastricht Airport  
The Netherlands  
+31 (0)33 408 68 68  
info@technomed.nl  
www.technomed.nl

Visit **[technomedmedical.com](http://technomedmedical.com)** to learn more about our products and services, and discuss your needs with our dedicated team.

## Disposable Subdermal Needle Electrodes, Single

Material	Length	Diameter	Wire Length	Packing	Part Number
Stainless Steel	6 mm	0.38 mm (28G)	1.5 m	24 pieces, 2 x 12 colors	TE/S50723-001
Stainless Steel	7 mm	0.30 mm (30G)	1.0 m	24 pieces, 4 x 6 colors	TE/S50718-001
Stainless Steel	7 mm	0.30 mm (30G)	1.5 m	24 pieces, 4 x 6 colors	TE/S50718-002
Stainless Steel	7 mm	0.30 mm (30G)	2.5 m	24 pieces, 4 x 6 colors	TE/S50718-003
Stainless Steel	13 mm	0.40 mm (27G)	0.5 m	25 pieces, 5 x 5 colors	TE/S43-438/02
Stainless Steel	13 mm	0.40 mm (27G)	1.0 m	25 pieces, 5 x 5 colors	TE/S43-438
Stainless Steel	13 mm	0.40 mm (27G)	1.5 m	25 pieces, 5 x 5 colors	TE/S43-638
Stainless Steel	13 mm	0.40 mm (27G)	2.0 m	25 pieces, 5 x 5 colors	TE/S43-838
Stainless Steel	13 mm	0.40 mm (27G)	2.5 m	25 pieces, 5 x 5 colors	TE/S43-938
Stainless Steel	14 mm	0.38 mm (28G)	1.0 m	24 pieces, 4 x 6 colors	TE/S50716-001
Stainless Steel	14 mm	0.38 mm (28G)	1.5 m	24 pieces, 4 x 6 colors	TE/S50716-002
Stainless Steel	14 mm	0.38 mm (28G)	2.0 m	24 pieces, 4 x 6 colors	TE/S50716-003
Stainless Steel	14 mm	0.38 mm (28G)	2.5 m	24 pieces, 4 x 6 colors	TE/S50716-004
Stainless Steel	14 mm	0.38 mm (28G)	1.0 m	24 pieces, 2 x 12 colors	TE/S50721-001
Stainless Steel	14 mm	0.38 mm (28G)	1.5 m	24 pieces, 2 x 12 colors	TE/S50721-002
Stainless Steel	14 mm	0.38 mm (28G)	2.0 m	24 pieces, 2 x 12 colors	TE/S50721-003
Stainless Steel	14 mm	0.38 mm (28G)	2.5 m	24 pieces, 2 x 12 colors	TE/S50721-004
Stainless Steel	19 mm	0.45 mm (26G)	1.0 m	24 pieces, 4 x 6 colors	TE/S49-438
Stainless Steel	19 mm	0.45 mm (26G)	1.5 m	24 pieces, 4 x 6 colors	TE/S49-638
Stainless Steel	19 mm	0.45 mm (26G)	2.0 m	24 pieces, 4 x 6 colors	TE/S49-838
Stainless Steel	19 mm	0.45 mm (26G)	2.5 m	24 pieces, 4 x 6 colors	TE/S49-938
Stainless Steel	19 mm	0.45 mm (26G)	1.5 m	24 pieces, 2 x 12 colors	TE/S50723-002
Platinum-Iridium	13 mm	0.40 mm (27G)	1.36 m	25 pieces, 5 x 5 colors	TE/S46-638/01
Platinum-Iridium	13 mm	0.40 mm (27G)	1.5 m	25 pieces, 5 x 5 colors	TE/S46-638

Connector  DIN 42802

12 colors:   
 6 colors:   
 5 colors: 

## Specifications

Not made with natural rubber latex	✓
REACH & RoHS (EU) compliant	✓
EtO sterilized	✓
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC
Shelf life for unopened pouches	36 months



- Clear and reliable signal
- Smooth penetration

USA  
Rx ONLY

CE  
0344



### Disposable Subdermal Needle Electrodes, Twisted Pair


Material	Length	Diameter	Wire Length	Packing	Part Number
Stainless Steel	13 mm	0.40 mm (27G)	1.5 m	20 pairs, 10 colors	TE/S44-637
Stainless Steel	13 mm	0.40 mm (27G)	2.0 m	20 pairs, 10 colors	TE/S44-837
Stainless Steel	13 mm	0.40 mm (27G)	2.5 m	20 pairs, 10 colors	TE/S44-937
Stainless Steel	14 mm	0.38 mm (28G)	2.5 m	12 pairs, 6 colors	TE/S42-937
Stainless Steel	22 mm	0.30 mm (30G)	2.0 m	8 pairs, 8 colors	TE/S22-837
Stainless Steel	18 mm	0.38 mm (28G)	2.0 m	12 pairs, 6 colors	TE/S50722-004
Stainless Steel	13 mm	0.38 mm (28G)	1.5 m	20 pairs, 10 colors	TE/S50722-001
Stainless Steel	13 mm	0.38 mm (28G)	2.0 m	20 pairs, 10 colors	TE/S50722-002
Stainless Steel	13 mm	0.38 mm (28G)	2.5 m	20 pairs, 10 colors	TE/S50722-003
Stainless Steel	6 mm	0.38 mm (28G)	2.0 m	20 pairs, 10 colors	TE/S50722-005

Connector  DIN 42802

**8 pairs, 8 color combinations:** ● or ○ + ● ● ● ● ● ● ● ●

**12 pairs, 6 color combinations:** ● or ○ + ● ● ● ● ● ● ● ● ● ● ● ●

**20 pairs, 10 color combinations:** ● or ○ + ●



## Specifications

Not made with natural rubber latex	✓
REACH & RoHS (EU) compliant	✓
EtO sterilized	✓
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC
Shelf life for unopened pouches	36 months


- **Clear and reliable signal**
- **Twisted pair models aid in noise reduction**
- **Smooth penetration**

USA
Rx ONLY

**CE**  
**0344**


### Disposable Subdermal Needle Electrodes, 5 and 6 lead bundles

Material	Length	Diameter	Wire Length	Packing	Color	Part Number
Stainless Steel	13 mm	0.38 mm (28G)	1.5 m	10 sets	● ○ ● ● ● ●	TE/S56-638
Stainless Steel	13 mm	0.38 mm (28G)	2.5 m	10 sets	● ○ ● ● ● ●	TE/S56-938
Stainless Steel	13 mm	0.38 mm (28G)	1.5 m	10 sets	○ ● ● ● ● ●	TE/S55-638
Stainless Steel	13 mm	0.38 mm (28G)	2.5 m	10 sets	○ ● ● ● ● ●	TE/S55-938

Connector  DIN 42802


### Disposable Subdermal Needle Electrodes, Parallel Pair

Material	Length	Diameter	Wire Length	Packing	Part Number
Stainless Steel	14 mm	0.38 mm (28G)	1.5 m	10 pairs, multi color	TE/S48-637
Stainless Steel	14 mm	0.38 mm (28G)	2.0 m	10 pairs, multi color	TE/S48-837
Stainless Steel	14 mm	0.38 mm (28G)	2.5 m	10 pairs, multi color	TE/S48-937

Connector  DIN 42802

10 color combinations: ● or ○ + ● ● ● ● ● ●

## DSNE 5 and 6 lead bundles DSNE Parallel Pair



## Specifications

Not made with natural rubber latex	✓
REACH & RoHS (EU) compliant	✓
EtO sterilized	✓
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC
Shelf life for unopened pouches	36 months

- **Clear and reliable signal**
- **Twisted models aid in noise reduction**
- **Smooth penetration**


USA  
Rx ONLY

**CE**  
**0344**

# Disposable Stimulating Probes


## Disposable Monopolar Stimulating Probes

Shaft length	Tip Diameter	Packing	Part Number
100 mm	0.75 mm	Single	MP100/1
100 mm	0.75 mm	10 pieces	MP100/10
200 mm	1.0 mm	Single	MP200/1
200 mm	1.0 mm	10 pieces	MP200/10

Connector  DIN 42802

## Disposable Ball Tip Stimulating Probes

Shaft length	Ball Tip Size	Packing	Part Number
100 mm	3 mm	Single	BTP3.0-100/1
100 mm	3 mm	10 pieces	BTP3.0-100/10
200 mm	3 mm	Single	BTP3.0-200/1
200 mm	3 mm	10 pieces	BTP3.0-200/10
130 mm	2.3 mm	Single	BTP2.3-130/1
130 mm	2.3 mm	10 pieces	BTP2.3-130/10
200 mm	2.3 mm	Single	BTP2.3-200/1
200 mm	2.3 mm	10 pieces	BTP2.3-200/10

Connector  DIN 42802

Monopolar




Ball tip



USA  
Rx ONLY

**CE**  
**0344**


### Disposable Twisted Bipolar Stimulating Probes

Shaft length	Leadwire	Tip Diameter	Package	Part Number
100 mm	2.5 m	2 x 0.75 mm	Single	BIP100/1
100 mm	2.5 m	2 x 0.75 mm	10 pieces	BIP100/10
Connector  DIN 42802				

Cathode ———  
Anode ———



### Disposable Concentric Stimulation Probes

Shaft length	Diameter	Package	Part Number
100 mm	1.0 mm	Single	CP100/1
100 mm	1.0 mm	10 pieces	CP100/10
Connector  DIN 42802			

Cathode ———  
Anode ———



## Specifications


Not made with natural rubber latex	√
REACH & RoHS (EU) compliant	√
EtO sterilized	√
Shelf life for unopened pouches	36 months

- **Proven design with comfortable grip for easy handling and optimal control**
- **For stimulation and recording purposes**
- **Clear and reliable signal**
- **All probes have a wire length of 2.5 meters**

USA
Rx ONLY

**CE**  
**0344**

# Disposable Stimulation Clip

Materials	Width Of Clip	PVC Mold	Wire Length	Part number
Stainless Steel	6 mm	Black	2.5 m	TE/Q95-931
Connector	 DIN 42802			

\* Box of 1



## User benefits

- Turns a metal surgical dilator into a monopolar stimulating probe
- Fits and connects to most common dilators used in Spine surgery with a diameter between 5mm and 22mm
- High quality stimulus conduction when applied to surgical dilators
- Suitable for EMG, NCS, IONM and EP monitoring
- Insulated ergonomic handle
- Can connect to a wide range of nerve monitors

USA  
Rx ONLY

CE  
0344





# Clinical Neurophysiology











Technomed are specialists in the field of manufacturing high quality clinical neurophysiology products that are designed to record brain, nerve and muscle activity. We offer an extensive portfolio of accessories that provide signals for patient safety and improved outcomes.











Disposable EEG Cup Electrodes Silver/Silver Chloride Coated	40
Disposable EEG Cup+ Electrodes Silver/Silver Chloride Coated	41
Disposable Extra Small EEG Cup Electrodes Silver/Silver Chloride Coated	42
Reusable EEG Cup Electrodes Silver/Silver Chloride Coated	43
Reusable Extra Small EEG Cup Electrodes	44
Reusable Ear Clip Electrodes	45
Disposable Concentric Needle Electrodes	46
Reusable Cables For Concentric Electrodes	46
Disposable Hypodermic Needle Electrodes	47
Disposable Monopolar Needle Electrodes - Trocar Point	48
Disposable Monopolar Needle Electrodes - Pencil Point	49
Reusable Cables For Detachable Monopolar EMG Needle	49













# Disposable EEG Cup Electrodes


Materials	Cup Size	Cup Height	Wire Length	Packing	Part Number
Ag/AgCl	10 mm	2.6 mm	1.0 m	Sets of 27	TE/C52-4327
Ag/AgCl	10 mm	2.6 mm	1.5 m	Sets of 27	TE/C52-6327
Ag/AgCl	10 mm	2.6 mm	1.0 m	Sets of 25, 5 x 5 colors	TE/C52-438
Ag/AgCl	10 mm	2.6 mm	1.5 m	Sets of 25, 5 x 5 colors	TE/C52-638
Ag/AgCl	10 mm	2.6 mm	2.0 m	Sets of 25, 5 x 5 colors	TE/C52-838
Ag/AgCl	10 mm	2.6 mm	2.5 m	Sets of 25, 5 x 5 colors	TE/C52-938
Ag/AgCl	10 mm	2.6 mm	1.0m	Sets of 10, 10 colors	TE/C52-432
Ag/AgCl	10 mm	2.6 mm	1.5 m	Sets of 10, 10 colors	TE/C52-632
Ag/AgCl	10 mm	2.6 mm	2.0 m	Sets of 10, 10 colors	TE/C52-832
Ag/AgCl	10 mm	2.6 mm	2.5 m	Sets of 10, 10 colors	TE/C52-932

Connector  DIN 42802

**25 pack:** 2x  2x  2x  2x  2x  2x  2x  2x  2x  2x  3x  2x 

**10 pack:**          

**27 pack:** 2x  2x  2x  2x  2x  2x  3x  2x  3x  2x  3x  2x 



## Specifications

Cup	Ag/AgCl coated
Not made with natural rubber latex	✓
REACH & RoHS (EU) compliant	✓
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC

- **No cleaning and preparation of EEG electrodes needed**
- **Clear and reliable signal with optimized layer of frequency stable Ag/AgCl coating**
- **Optimized patient comfort with low profile disk**
- **Soft and flexible anti-tangle lead wires**
- **EEG cups are nickel-free**

USA  
Rx ONLY



















































# Disposable EEG Cup+ Electrodes

Materials	Cup Size	Cup Height	Wire Length	Packing	Part Number
Ag/AgCl	10 mm	3 mm	1.0 m	Sets of 27	TE/C53-4327
Ag/AgCl	10 mm	3 mm	1.5 m	Sets of 27	TE/C53-6327
Ag/AgCl	10 mm	3 mm	1.0 m	Sets of 25, 5 x 5 colors	TE/C53-438
Ag/AgCl	10 mm	3 mm	1.5 m	Sets of 25, 5 x 5 colors	TE/C53-638
Ag/AgCl	10 mm	3 mm	2.0 m	Sets of 25, 5 x 5 colors	TE/C53-838
Ag/AgCl	10 mm	3 mm	2.5 m	Sets of 25, 5 x 5 colors	TE/C53-938
Ag/AgCl	10 mm	3 mm	1.0 m	Sets of 10, 10 colors	TE/C53-432
Ag/AgCl	10 mm	3 mm	1.5 m	Sets of 10, 10 colors	TE/C53-632
Ag/AgCl	10 mm	3 mm	2.0 m	Sets of 10, 10 colors	TE/C53-832
Ag/AgCl	10 mm	3 mm	2.5 m	Sets of 10, 10 colors	TE/C53-932
Ag/AgCl	10 mm	3 mm	1.5 m	Sets of 15	TE/C53-6315
Ag/AgCl	10 mm	3 mm	2.0 m	Sets of 15	TE/C53-8315
Ag/AgCl	10 mm	3 mm	2.5 m	Sets of 15	TE/C53-9315

Connector  DIN 42802

**25 pack:** 2x  2x  2x  2x  2x  2x  2x  2x  2x  2x  3x  2x   
**10 pack:**            
**15 pack:** 2x  2x  2x            
**27 pack:** 2x  2x  2x  2x  2x  2x  2x  2x  2x  2x  3x  2x 



## Specifications

Cup	Ag/AgCl coated
Not made with natural rubber latex	√
REACH & RoHS (EU) compliant	√
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC

- **No cleaning and preparation of EEG electrodes needed**
- **Clear and reliable signal with optimized layer of frequency stable Ag/AgCl coating**
- **Optimized signal quality due to larger electrode surface and volume**
- **Soft and flexible anti-tangle lead wires**
- **EEG cups are nickel-free**

USA  
Rx ONLY



# Disposable Extra Small EEG Cup Electrodes

Material	Cup Size	Cup Height	Wire Length	Packing	Part Number
Ag/AgCl	6 mm	2.3 mm	1.5 m	Sets of 12, 12 colors	TE/C55-636
Ag/AgCl	6 mm	2.3 mm	1.0 m	Sets of 12, 12 colors	TE/C55-436
Ag/AgCl	6 mm	2.3 mm	2.5 m	Sets of 25, 5 x 5 colors	TE/C55-938
Ag/AgCl	6 mm	2.3 mm	1.5 m	Sets of 25, 5 x 5 colors	TE/C55-638
Ag/AgCl	6 mm	2.3 mm	1.0 m	Sets of 25, 5 x 5 colors	TE/C55-438
Ag/AgCl	6 mm	2.3 mm	2.5 m	Sets of 10, 10 colors	TE/C55-932
Ag/AgCl	6 mm	2.3 mm	2.0 m	Sets of 10, 10 colors	TE/C55-832
Ag/AgCl	6 mm	2.3 mm	1.5 m	Sets of 10, 10 colors	TE/C55-632
Ag/AgCl	6 mm	2.3 mm	1.0 m	Sets of 10, 10 colors	TE/C55-432

Connector  DIN 42802

**25 pack:** 2x  2x  2x  2x  2x  2x  2x  2x  2x  2x  3x  2x 

**10 pack:**          

**12 pack:**            



## Specifications

Cup	Ag/AgCl Coated
Not made with natural rubber latex	√
REACH & RoHS (EU) compliant	√
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC

- **No cleaning and preparation of EEG electrodes needed**
- **Clear and reliable signal with optimized layer of frequency stable Ag/AgCl coating**
- **Soft and flexible anti-tangle lead wires**
- **EEG cups are nickel-free**

USA
Rx ONLY



# Reusable EEG Cup Electrodes

Material	Cup Size	Cup Height	Wire Length	Packing	Part Number
Ag plated	10 mm	3.1 mm	1 m	Sets of 12, 2 x 6 colors	TE/C12-434
Ag plated	10 mm	3.1 mm	1.5 m	Sets of 12, 2 x 6 colors	TE/C12-634
Ag plated	10 mm	3.1 mm	2 m	Sets of 12, 2 x 6 colors	TE/C12-834
Ag plated	10 mm	3.1 mm	2.5 m	Sets of 12, 2 x 6 colors	TE/C12-934
Au plated	10 mm	3.1 mm	1 m	Sets of 12, 2 x 6 colors	TE/C32-434
Au plated	10 mm	3.1 mm	1.5 m	Sets of 12, 2 x 6 colors	TE/C32-634
Au plated	10 mm	3.1 mm	2 m	Sets of 12, 2 x 6 colors	TE/C32-834
Au plated	10 mm	3.1 mm	2.5 m	Sets of 12, 2 x 6 colors	TE/C32-934
Ag/AgCl	10 mm	3.3 mm	1 m	Sets of 12, 2 x 6 colors	TE/C22-434/99
Ag/AgCl	10 mm	3.3 mm	1.5 m	Sets of 12, 2 x 6 colors	TE/C22-634/99
Ag/AgCl	10 mm	3.3 mm	2 m	Sets of 12, 2 x 6 colors	TE/C22-834/99
Ag/AgCl	10 mm	3.3 mm	2.5 m	Sets of 12, 2 x 6 colors	TE/C22-934/99

Connector  DIN 42802

12 pack: 



Ag/AgCl



From Top: Ag/AgCl, Au plated, Ag plated

## Specifications

Cup	Au plated, Ag plated or Ag/AgCl
Not made with natural rubber latex	√
REACH & RoHS (EU) compliant	√
Lead wire core	Kevlar Core and Tin Plated Copper
Lead wire insulation	TPU

- **Clear and reliable signal with optimized layer of frequency stable Ag/AgCl on a solid Silver Cup**
- **Long electrode life with watertight design and Kevlar reinforced wires**
- **EEG cups are nickel-free**

USA  
Rx ONLY




# Reusable Extra Small EEG Cup Electrodes

Material	Cup Size	Cup Height	Wire Length	Part Number
Ag plated	6 mm	1.7 mm	1.0 m	TE/C14-434
Ag plated	6 mm	1.7 mm	1.5 m	TE/C14-634
Ag plated	6 mm	1.7 mm	2.0 m	TE/C14-834
Au plated	6 mm	1.7 mm	1.0 m	TE/C34-434
Au plated	6 mm	1.7 mm	1.5 m	TE/C34-634
Au plated	6 mm	1.7 mm	2.0 m	TE/C34-834
Ag/AgCl	6 mm	2.3 mm	1.5 m	TE/C24-634/99

Connector  DIN 42802

Sets of 12, 2 x 6 colors: 



## Specifications

Not made with natural rubber latex	√
REACH & RoHS (EU) compliant	√
Lead wire design	Tinsel wire
Lead wire core	Kevlar Core and Tin Plated Copper
Lead wire insulation	TPU
Spring loaded connector	Gold Plated Brass/PVC


- **Clear and reliable signal**
- **Optimal patient comfort with low profile disk, soft and flexible anti-tangle lead wires**
- **Long electrode life with watertight design and Kevlar reinforced wires**
- **EEG cups are nickel-free**

USA
Rx ONLY



# Reusable Ear Clip Electrodes

Material	Cup Size	Cup Height	Wire Length	Part Number
Ag plated	6 mm	1.7 mm	1.0 m	TE/E14-439
Ag plated	6 mm	1.7 mm	1.5 m	TE/E14-639
Au plated	6 mm	1.7 mm	1.0 m	TE/E34-439
Au plated	6 mm	1.7 mm	1.5 m	TE/E34-639
Ag/AgCl	6 mm	1.7 mm	1.0 m	TE/E24-439
Ag plated	10 mm	3.12 mm	1.0 m	TE/E12-439
Ag plated	10 mm	3.12 mm	1.5 m	TE/E12-639
Au plated	10 mm	3.12 mm	1.0 m	TE/E32-439
Au plated	10 mm	3.12 mm	1.5 m	TE/E32-639
Ag/AgCl	10 mm	3.12 mm	1.0 m	TE/E22-439
Ag/AgCl	10 mm	3.12 mm	1.5 m	TE/E22-639

Connector  DIN 42802

Wire colors: ● ●



## Specifications

REACH & RoHS (EU) compliant	√
Lead wire core	Tinned Copper
Lead wire insulation	Santoprene
Spring loaded connector	TPU

- **Low profile disk with soft and flexible anti-tangle lead wires for high patient comfort**
- **Long electrode life with watertight design and Kevlar reinforced wires**
- **EEG cups are nickel-free**

USA
Rx ONLY



## Disposable Concentric Needle Electrodes


Needle length	Diameter	Recording Area	Hub Color	Packing	Part Number
25 mm	0.30 mm (30 Gauge)	0.031 mm <sup>2</sup>	●	25 individually packed electrodes per box	TE/B50600-001
25 mm	0.40 mm (27 Gauge)	0.031 mm <sup>2</sup>	●	25 individually packed electrodes per box	TE/B50600-002
30 mm	0.30 mm (30 Gauge)	0.031 mm <sup>2</sup>	●	25 individually packed electrodes per box	TE/B50600-006
37 mm	0.45 mm (26 Gauge)	0.085 mm <sup>2</sup>	●	25 individually packed electrodes per box	TE/B50600-003
50 mm	0.45 mm (26 Gauge)	0.085 mm <sup>2</sup>	●	25 individually packed electrodes per box	TE/B50600-004
75 mm	0.60 mm (23 Gauge)	0.085 mm <sup>2</sup>	●	25 individually packed electrodes per box	TE/B50600-005

## Reusable Cables for Concentric Needle Electrodes

Reusable Cable	Wire Length	Part Number
5-pole DIN connector shielded	1.25 m	TE/D64-551
5-pole DIN connector shielded	2.00 m	TE/D64-851



Disposable Concentric Needles Electrodes




Reusable Cables for Concentric Needle Electrodes


## Specifications


Not made with natural rubber latex	√
REACH & RoHS (EU) compliant	√
EtO sterilized	√
Shelf life for unopened pouches	36 months

- **Clear signal with optimized recording area and shielded cable**
- **Sharp tip for patient penetration**
- **Precise handling with improved ergonomic hub and cable design**



# Disposable Hypodermic Needle Electrodes

Needle length	Diameter	Lead Wire	Hub Color	Packing	Part Number
25 mm	0.30 mm (30 Gauge)	0.75 m	●	10 individually packed electrodes per box	TE/L2530-335
25 mm	0.40 mm (27 Gauge)	0.75 m	●	10 individually packed electrodes per box	TE/L2540-335
37 mm	0.40 mm (27 Gauge)	0.75 m	●	10 individually packed electrodes per box	TE/L3740-335
37 mm	0.45 mm (26 Gauge)	0.75 m	●	10 individually packed electrodes per box	TE/L3745-335
50 mm	0.50 mm (25 Gauge)	0.75 m	●	10 individually packed electrodes per box	TE/L5050-335
75 mm	0.70 mm (22 Gauge)	0.75 m	●	10 individually packed electrodes per box	TE/L7570-335
Connector	 DIN 42802				



## Specifications


Not made with natural rubber latex	√
REACH & RoHS (EU) compliant	√
EtO sterilized	√
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC
Shelf life for unopened pouches	36 months

- **Sharp tip and special coating for patient penetration**
- **Optimized to fit to all slip-tip and Luer Lock syringe connections**

USA
Rx ONLY

**CE**  
**0344**



# Disposable Monopolar Needle Electrodes - Trocar Point



Description	Needle Length	Diameter	Hub Color	Part Number
Pre-wired*	25 mm	0.35 mm (28 Gauge)	●	TE/AP2535-335/01
Pre-wired*	25 mm	0.45 mm (26 Gauge)	●	TE/AP2545-335/01
Pre-wired*	37 mm	0.35 mm (28 Gauge)	●	TE/AP3735-335/01
Pre-wired*	37 mm	0.45 mm (26 Gauge)	●	TE/AP3745-335/01
Pre-wired*	50 mm	0.45 mm (26 Gauge)	●	TE/AP5045-335/01
Pre-wired*	75 mm	0.45 mm (26 Gauge)	●	TE/AP7545-335/01
Detachable	25 mm	0.35 mm (28 Gauge)	●	TE/AD2535-008/01
Detachable	25 mm	0.45 mm (26 Gauge)	●	TE/AD2545-008/01
Detachable	37 mm	0.35 mm (28 Gauge)	●	TE/AD3735-008/01
Detachable	37 mm	0.45 mm (26 Gauge)	●	TE/AD3745-008/01
Detachable	50 mm	0.45 mm (26 Gauge)	●	TE/AD5045-008/01
Detachable	75 mm	0.45 mm (26 Gauge)	●	TE/AD7545-008/01

\*Connector 

**Packing:** 25 individually packed electrodes per box  
**Pre-wired:** 0.75 m



## Specifications

Not made with natural rubber latex	√
REACH & RoHS (EU) compliant	√
EtO sterilized	√
Lead wire core	Tin Plated Copper
Lead wire insulation	PVC
Shelf life for unopened pouches	36 months


- **Clear and reliable signal with improved recording area**
- **Sharp needle tip for optimized patient comfort, easy penetration**

USA
Rx ONLY

**CE**  
**0344**





# Disposable Monopolar Needle Electrodes - Pencil Point



Description	Needle Length	Diameter	Hub Color	Part Number
Pre-wired*	25 mm	0.35 mm (28 Gauge)	Red	TE/AP2535-335
Pre-wired*	25 mm	0.45 mm (26 Gauge)	Yellow	TE/AP2545-335
Pre-wired*	37 mm	0.35 mm (28 Gauge)	Orange	TE/AP3735-335
Pre-wired*	37 mm	0.45 mm (26 Gauge)	Green	TE/AP3745-335
Pre-wired*	50 mm	0.45 mm (26 Gauge)	Blue	TE/AP5045-335
Pre-wired*	75 mm	0.45 mm (26 Gauge)	Purple	TE/AP7545-335
Detachable	25 mm	0.35 mm (28 Gauge)	Red	TE/AD2535-008
Detachable	25 mm	0.45 mm (26 Gauge)	Yellow	TE/AD2545-008
Detachable	37 mm	0.35 mm (28 Gauge)	Orange	TE/AD3735-008
Detachable	37 mm	0.45 mm (26 Gauge)	Green	TE/AD3745-008
Detachable	50 mm	0.45 mm (26 Gauge)	Blue	TE/AD5045-008

\*Connector 

**Packing:** 25 individually packed electrodes per box  
**Pre-wired:** 0.75 m



Shielded



Unshielded



## Reusable Cables For Detachable Monopolar EMG Needle Electrodes

Reusable Cable	Wire Length	Part Number
Shielded	1.00 m	TE/D54-451
Unshielded	0.60 m	TE/D34-231

USA  
Rx ONLY

CE  
0344





# Product Development

Introducing Technomed's Product Development services for medical accessories – your gateway to innovation and excellence in the healthcare industry. At Technomed, we understand that the evolution of medical accessories is vital for improved patient care and enhanced clinical practices. With our expert team of engineers and professionals, we offer a comprehensive range of services tailored to develop and bring to market innovative medical accessories.

From concept to final product, our approach is marked by precision, adherence to industry regulations, and a relentless pursuit of quality. Our commitment to cutting-edge technology and patient-centric design ensures that each accessory not only meets but exceeds the stringent demands of modern healthcare.

Collaborate with Technomed, and together, we can drive the future of medical accessory development, contributing to better patient outcomes.

# Private Branding

Introducing Technomed's Private Branding services – your gateway to a personalized and impactful presence in the healthcare marketplace. We understand that the healthcare industry is as diverse as the patients it serves, that's why we offer a unique opportunity to brand our top-quality medical accessories with their own identity.

Our Private Branding services allow you to seamlessly integrate our high-performance products into your existing portfolio, presenting them to your audience under your label. This not only promotes your brand's trust and credibility but also ensures that your customers receive the finest medical accessories available. With Technomed as your partner, you gain a competitive edge, build brand loyalty, and contribute to better patient care through innovative and customized solutions that align with your mission and values.

Elevate your brand's presence with Technomed's Private Branding services and take medical accessories to a new level of excellence.





To find out more about our high quality products and cost effective solutions, visit

**[technomedmedical.com](https://technomedmedical.com)**

